

**PCT**

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>G06F</b>		<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 00/43852</b> <b>(43) International Publication Date:</b> 27 July 2000 (27.07.00)
<b>(21) International Application Number:</b> PCT/US00/01635 <b>(22) International Filing Date:</b> 24 January 2000 (24.01.00) <b>(30) Priority Data:</b> 09/237,382                      26 January 1999 (26.01.99)                      US <b>(71) Applicant:</b> ICANBUY.COM [US/US]; 1250 Seventeenth Street, San Francisco, CA 94107 (US). <b>(72) Inventors:</b> HERMAN, Ross, Paul; 412 Mississippi Street, San Francisco, CA 94107 (US). KECK, Gayle, Ann; 412 Mississippi Street, San Francisco, CA 94107 (US). <b>(74) Agent:</b> LANZA, John, D.; Testa, Hurwitz & Thibault, LLP, High Street Tower, 125 High Street, Boston, MA 02110 (US).		<b>(81) Designated States:</b> JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>	
<b>(54) Title:</b> METHODS AND APPARATUS FOR FACILITATING ELECTRONIC COMMERCE			
<b>(57) Abstract</b> <p>A method for displaying a SGML page that facilitates selection and purchase of goods from multiple vendors by a purchaser includes the steps of: maintaining a database including a number of item entries representing items for sale; accessing a data structure representing a potential purchaser, the data structure includes permission information associated with the purchaser; and generating a SGML page for display responsive to the data structure and at least one of the entries in the item database. A corresponding apparatus includes a first memory element storing an item database and a second memory element storing a purchaser data structure which includes permission information. A page generator accesses the database and the data structure stored in the first and second memory elements and generates a SGML page for display.</p>			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## METHODS AND APPARATUS FOR FACILITATING ELECTRONIC COMMERCE

### Field of the Invention

The present invention relates to networked systems and, more particularly to networked systems and methods for facilitating electronic commerce.

### Background of the Invention

5       The world wide network of computers commonly known as the "Internet" has grown rapidly over the last several years. Much of this growth has been driven by the increase in popularity of the World Wide Web ("WWW" or "Web"). The WWW is a collection of files written using HyperText Markup Language (HTML), commonly referred to as "Web pages." HTML is an implementation of the Structured General Markup Language (SGML) standard.  
10   HTML files may be easily configured and created by users and accessed and displayed using specialized applications known as Web browsers, which allow a user to access and view HTML files using a graphical user interface.

Servers hosting HTML files can communicate using the HyperText Transfer Protocol ("HTTP"). HTTP is a communication protocol that provides user access to files (which can be in  
15   different formats such as text, graphics, images, sound, video, etc.) written using the HTML page description language. HTML provides basic document formatting functions and allows the developer of the HTML page to specify communication links to other servers and files. Use of an HTML-compliant browser on a client workstation involves specification of a link via a Uniform Resource Locator address or "URL". Upon such specification, the browser makes a  
20   "TCP/IP" request to the server address identified by the link and receives a Web page in return. The browser executing on the client workstation interprets the HTML file that it has received and displays the Web page to the user of the client workstation.

The browser renders the Web page by interpreting HTML tags, which are embedded control information that indicates to a browser when certain action should be taken. For  
25   example, a tag may indicate to the browser: (1) that a graphics file should be retrieved and

displayed at a particular location on the screen; (2) that the text following the HTML tag should be centered, bolded, or otherwise formatted; (3) that the background of the Web page should be shaded or have a particular pattern; or (4) that a different HTML file should be loaded and displayed in place of the HTML the file the browser is currently displaying.

5 A burgeoning application for the WWW is electronic commerce. In this application, a user uses the browser to make a request of a server which returns information causing the browser to display a page that displays items for sale. The page also allows the user to elect and purchase one or more displayed items which are subsequently shipped to the user. Unfortunately, since most web sites display items relating to a single store or source, it can be  
10 difficult to casually shop from multiple stores using the WWW.

A further problem exists with the current payment mechanism. Most shopping sites accept only credit cards as payment. This poses problems for minors wishing to use the WWW to purchase items. It also provides a fertile ground for fraud. Accordingly, there is a need for payment mechanisms in transactions occurring over networks in which permissions or controls  
15 may be placed on a purchaser.

### Summary of the Invention

The present invention provides methods and apparatus for facilitating electronic commerce by providing a structure which displays items belonging to multiple vendors to a user for selection and purchase. In addition, a data structure representing the potential purchaser is  
20 maintained, allowing the purchase of items to be controlled based on the user's profile. In one particularly useful embodiment, the invention provides a way for supervised purchasers, such as children or supervised employees, to shop at commerce sites on the WWW without requiring a credit card to make a purchase. Individuals setting permissions, such as supervisors or parents, can set up accounts and have the option of controlling the items that the ultimate purchaser can  
25 buy. Also, because the purchaser profile contains permission information, the system can help guard against fraudulent use.

In one aspect, the present invention relates to a method for displaying an SGML page, the SGML page facilitating selection and purchase of goods from multiple vendors by purchaser. A database is maintained which includes a number of item entries, at least one of the item entries  
30 representing an item for sale. A data structure representing a potential purchaser is accessed.

The data structure includes permission information. An SGML page is generated responsive to the data structure and the item entries in the database.

In another aspect, the present invention relates to an apparatus for displaying an SGML page which facilitates the selection and purchase of goods by a purchaser. A first memory element stores a database which includes a number of item entries, at least one of the item entries representing an item for sale. A second memory element stores a data structure representing a potential purchaser. The data structure includes permission information associated with the purchaser. A page generator accesses the database stored in the first memory element and creates a SGML page for display to a potential purchaser responsive to the database and the data structure stored in the second memory element.

In yet another aspect, the present invention relates to an article of manufacture having computer-readable program means embodied thereon for displaying an SGML page, the SGML page facilitating selection and purchase of goods from multiple vendors by a purchaser. The article includes computer-readable program means for maintaining a database. The database includes a number of item entries, at least one of which represents an item for sale. The article of manufacture also includes computer-readable program means for accessing a data structure representing a potential purchaser. The data structure includes permission information associated with the purchaser. The article of manufacture further includes computer-readable program means for generating an SGML page for display responsive to the data structure and one of the item entries.

In still another aspect, the present invention relates to an article of manufacture having computer-readable program means embodied thereon for facilitating purchase of goods by a purchaser. The article includes computer-readable program means for representing a potential purchaser, the program means including permission information associated with the purchaser.

#### Brief Description of the Drawings

The invention is pointed out with particularity in the appended claims. The advantages of the invention described above, as well as further advantages of the invention, may be better understood by reference to the following description taken in conjunction with the accompanying drawings, in which:

FIG. 1 is a block diagram of a networked commerce system;

FIG. 2 is a diagrammatic view of a client workstation that may be used in the system of FIG. 1;

FIG. 3 is a flowchart of the steps to be taken by a server to display an SGML page in a networked commerce system;

FIG. 4 is a diagrammatic representation of a screen shot depicting a screen for collecting parent information;

FIG. 5 is a diagrammatic representation of a screen shot depicting a screen for collecting supervised purchaser profile information;

FIG. 6 is a diagrammatic representation of a screen shot depicting an embodiment of a screen for collecting information for a child profile;

FIG. 7A is a diagrammatic representation of a screen shot depicting an embodiment of a screen for collecting payment information;

FIG. 7B is a diagrammatic representation of a screen shot depicting an embodiment of a screen for collecting payment information;

FIG. 8 is a data flow diagram depicting a purchaser trip to a vendor site for embodiments in which vendor sites maintain their own item entry databases; and

FIG. 9 is a data flow diagram depicting purchaser check out from a vendor site in an embodiment in which the vendor site maintains its own item entry database.

### Detailed Description of the Invention

Referring now to FIG. 1, and in brief overview, a system for providing a networked commerce system is shown. Client workstations 12' are connected to one or more servers 14. The client workstations 12' may be connected in any physical arrangement such as a star, loop, ring, or bus. The network connecting client workstations 12' and the server 14 may use any physical media, including wireless, provided that the physical media supports the HyperText Transfer Protocol (HTTP).

Referring also to FIG. 2, the client workstation 12' may be any machine that supports reception and transmission of data signals over an HTTP network. In general, a client workstation 12' is a personal computer executing a "browser" program to display an HTML page 40, on the screen 30 of the client workstation 12'. The user interacts with pages displayed by the

browser utilizing a "point-and-click" interface, i.e., the viewing user uses a mouse 32 to manipulate a cursor 42 that is also displayed on the screen 30 of the client workstation 12'. Once the cursor 42 is over a particular portion of the HTML page 40, the viewing user signals by "clicking" or "double clicking" a button 33 on the mouse 32. Alternatively, the viewing user may also signal by pressing a key on an associated keyboard 36, such as the "return" key. In other embodiments, the viewing user may not use a mouse 32 at all, but may instead use a touchpad, a trackball, a pressure-sensitive tablet and pen, voice recognition, or any other input mechanism for manipulating the cursor. It should be noted that similar machines may be used to provide workstations 12' and servers 14. In some embodiments a single machine may act, at times, as both a client workstation 12' and a server 14.

Referring to FIG. 3, the present invention relates to a method for displaying an SGML page that facilitates the selection and purchase of goods from multiple vendors. A server 14 maintains a database 20 which includes a plurality of item entries (step 302). Each of the item entries represents an item for sale. The items may be offered for sale by the operator of the server 14 or an agent of the operator. Alternatively, the item may be offered for sale by another entity that has agreed with the operator of the server 14 to allow its goods to be offered for sale by or on the server 14.

Database 20 may be stored by the server 14 on any convenient mass storage device. For example, FIG. 1 depicts an embodiment in which the server 14 stores the database 20 on an associated hard disk drive 16. Alternatively, the server 14 may store the database in Random Access Memory (RAM) if the database 20 is capable of fitting within the physical memory space of the server 14. The database 20 may be a flat database, relational database, multi-dimensional database, or object-oriented database. Each server 14 may store more than one database 20, where each database 20 represents a different set of items offered for sale. For example, typical relational databases that may be used to provide the database 20 include Jet Database Engine, manufactured by Microsoft Corporation of Redmond, Washington and Sybase Adaptive Server Enterprises, manufactured by Sybase Inc. of Emeryville, California.

The item entries stored by the database 20 provide information related to an item offered for sale. The item entry may include fields for recording: the stock keeping unit (SKU) number; the quantity of a given item in stock; the location of items in stock; physical characteristics of items in stock such as color, size, or weight; or the price charged for an item. In some

embodiments the database 20 maintains entries for items that are offered for sale by different vendors and, in these embodiments, items entries may include a field indicating the identity of the vendor for an item.

The server 14 accesses a data structure representing a potential purchaser (step 304). The  
5 data structure may be maintained by the server 14 in RAM or its associated persistent storage elements, i.e., a tape drive 18 or a hard disk drive 20. Alternatively, the server 14 may receive the data structure from the user or some other source. For example, a user may maintain its data structure locally on a workstation 12', and only transmit the data structure to the server 14 when  
10 the user desires to make a purchase. The data structure may be implemented as a linked-list or doubly-linked list element, an entry in an array of records, or as an entry in a purchaser database. The data structure includes information relating to the potential purchaser, including but not limited to: name; address; shipping preference; phone number or numbers at which the purchaser  
15 may be reached; electronic mail or Uniform Resource Locator (URL) address at which the purchaser may be reached; password used to authenticate the purchaser; the gender of the purchaser; the birth date of the purchaser; and, in some embodiments, an amount of money available to the purchaser with which to make purchases. The purchaser data structure also includes information relating to certain items or classes of items that the user may not purchase without some form of external authorization or pre-approval. For example, the data structure  
20 may include information identifying items from a particular vendor that the purchaser may not purchase without approval from another person. Alternatively, the data structure may use such information by not displaying that class of items, e.g. items from a particular vendor, to the purchaser. The data structure may include information that identifies certain items or classes of items based on purchase price, vendor identification, or item identification.

In one embodiment, the purchaser data structure has an associated second data structure  
25 that stores items which the purchaser has identified as items they would like to purchase or receive as gifts. This second data structure may be a linked or doubly-linked list, an array, or a database of item entries. The second data structure is associated with a particular user either by including a user identifier in the second data structure or by including a pointer in the purchaser data structure that identifies the purchaser with which the second data structure is associated.  
30 The second data structure may store items from multiple vendors, and may include items for which the purchaser cannot purchase without approval from another person/controller.



Alternatively, the second data structure may be provided as data table which includes one or more of the following fields: a field identifying the purchaser; a field identifying a particular items sku number; a field identifying the item's price; a field identifying the item's description; a field identifying the quantity of the item desired; and a field identifying whether or not someone  
5 has purchased the item.

Referring again to FIG. 1, the server 14 stores an item entry database in a first memory element associated with the server 14. FIG. 1 depicts an embodiment in which the item entry database 20 is stored on a hard disk drive, although the item entry database may be stored in any appropriate transient or persistent memory element, such as a tape drive, floppy disk drive, CD-  
10 ROM, optical memory element, RAM, read-only memory (ROM), programmable read-only memory (PROM), electronically-erasable programmable read-only memory (EEPROM), flash memory, or, as shown in FIG. 1, hard disk drive. The server 14 also stores a purchaser data structure in a second memory element which may be selected from the list above. In some embodiments, the second memory and the first memory element are the same memory element.  
15 Both the item entry database and the purchaser data structure may be transmitted to the server 14 and stored for only a predetermined period of time. For example, the server 14 may receive an item entry database from a particular vendor that is valid for only one day. The server 14 stores the received item entry database for that day, after which it is invalid and is purged from the first memory element.

20 The server 14 also includes an SGML page generator that accesses both the item entry database and the purchaser data structure and creates an SGML page for display responsive to entries in the database and the data structure. For embodiments in which the invention is to be used on the WWW, the page generator creates an HTML page for display using the database and the purchaser data structure.

25 In some embodiments, the server 14 creates SGML pages in response to purchaser requests transmitted to the server 14 from the client workstation 12'. For example, the purchaser may transmit a request to view all items that have a purchase price of less than twenty dollars. The page generator accesses the item entry database to determine all items which satisfy that search criteria. The page generator then accesses the purchaser database to determine if any of  
30 the items satisfying the search criteria are items for which the purchaser does not have authorization to purchase without approval. This information is used by the page generator to

create an SGML page that can be displayed to the purchaser to respond to the request. The server may use any of a number of technologies to dynamically generate SGML pages for display. One technology, which dynamically creates HTML pages for display, is COLD FUSION, manufactured by Allaire Corporation of Cambridge, Massachusetts. Another technology that  
5 may be used to create HTML pages is ACTIVE CLIENT PAGES, manufactured by Microsoft Corporation of Redmond, Washington.

If the invention is provided as computer software, it may be written in any high-level programming language which supports the data structure requirements described above, such as C, C++, PASCAL, FORTRAN, LISP, or ADA. Alternatively, the invention may be provided as  
10 assembly language code. In another alternative, the invention may be written in a bytecode language such as JAVA. The invention, when provided as software code, may be embodied on any non-volatile memory element, such as floppy disk, hard disk, CD-ROM, optical disk, magnetic tape, flash memory, or ROM.

The following example is intended to be for illustration purposes only and is not intended  
15 to limit the scope of the invention in any way. In one embodiment, the invention may be used to allow parents to set up accounts for their children so that their children can shop using the Web. A parent accesses the server 14 by providing the URL address of the server 14 to a browser program. The server 14, when accessed, provides a number of pages that are displayed to the parent which allow the parent to set up a child account.

Referring to FIG. 4, a first screen 400 of the parent registration process can provide input  
20 mechanisms to collect the following information: first name 402, middle name 404, last name 406, street address (line 1) 408, street address (line 2) 410, city 412, state 414, zip code 416, day phone 418, night phone 420, and email address 422 using SSL security. This screen also allows the parent to enter a password associated with the parent 424. In some embodiments, passwords  
25 must have at least 8 characters and must include letters and numbers. Whenever a password is submitted, it is checked for conformity and checked against a database of easily guessed passwords. Such databases are well-known in the art. The parent indicates completion of the first screen 400 by clicking button 426. This action also submits the information entered on the form 400.

30 After clicking button 426, and referring now to FIG. 5, a second screen 500 is provided that displays a unique username for the parent account. In this embodiment, the username

comprises the first name of the parent concatenated with the first initial of the last name of the parent and a number. In further embodiments, the number is a serialized number.

In the embodiment depicted in FIG. 5, this screen 500 also begins the child registration process. The screen provides fields for collecting information about the child, including: first  
5 name 502, last name 504, account name 506, birth date 508, sex 510, and email address 512. This screen 500 also allows the parent to enter a password associated with the child. In some embodiments, passwords must have at least 8 characters and must include letters and numbers. Whenever a password is submitted, it is checked for conformity and checked against a database of easily guessed passwords. Such databases are well-known in the art. The parent indicates  
10 completion of this screen 500 by clicking button 520.

After clicking button 520, and referring now to FIG. 6, a second screen 600 is provided that displays a unique username for the child account. In this embodiment, the username comprises the first name of the child concatenated with the first initial of the last name of the child and a number. In further embodiments, the number may be serialized. The screen also  
15 displays a list of registered merchants and a short profile of each 602, 604, 606, 608, 610, 610. The parent is provided with check boxes 603, 605, 607, 609, 611, 613 allowing them to identify stores at which they do not want their children to be able to shop. Radio buttons 620, 622, 624 are provided to allow the parent to indicate that: parental approval is not required for purchases; parental approval is required for every purchase; or parental approval is required for purchases  
20 over a specified dollar amount. The parent indicates completion of this screen 600 by clicking button 640. At this point, the server 14 presents the parent with a choice to submit another child profile or to continue. If the parent would like to submit another child profile, they are returned to screen 500.

If the parent elects to continue, and referring now to FIG. 7, the server 14 presents the  
25 parent with a page 700 providing options to set up accounts for each child. This screen 700 allows the parent to specify an amount of money they would like to deposit into the child's account or to specify a credit card which will be used to deposit money into the child's account. The parent indicates the amount of money to be deposited by using entry fields 702 which allow the parent to specify the amount of money to be deposited and the date on which the deposit  
30 becomes effected. If the parent elects to allow the child to use a credit card, the screen 700 provides a number of entry fields 704 which allow the parent to enter the credit card number, the

expiration date, the name which appears on the card, and the billing address for the credit card. The parent signals completion of this screen 700 by clicking button 706. In an alternative embodiment, and referring to FIG. 7B, the parent may elect to make automatic scheduled deposits to a child's account. The screen 750 provides a number of entry fields 752 which allow the parent to set up an "allowance" for the child. The parent is able to specify an amount to be deposited 780 and either a day of the week 782, a day of the month 784 or a day of the year 786 on which the deposit is made. In some embodiments, the number of remaining days in the month is calculated and an amount is deposited to the account based on that result. The screen 750 also provides similar entry fields for entering credit card information 754 as described above in respect to FIG. 7A. The parent signals completion of this screen 750 by clicking button 790.

In still others embodiments, the parent may identify a credit card the child may use to make purchases. In these, embodiments the parent may indicate a spending limit per day, per week, per item, or per billing period.

Optionally, guests/visitors may be identified who will have access to certain elements of a child's account. For example, "wish list" information similar to that gathered for parents and children may be gathered for each guest and the guest may be registered with a unique identifier and password as described above. This would allow, for example, an aunt or uncle to be identified as having access to a child's account to allow that aunt or uncle to purchase gifts for the child using information gathered from the child's account.

In the embodiment described above, the information gathered by the screens identified in FIGS. 4-7B is arranged into a number of database table structures which are used by the server 14 to dynamically generate SGML pages for display. For example, the information gathered about a parent is arranged into a "parent" database table structure. Similarly, the information gathered about each "child" and each guest is arranged into a child database table structure and a "guest" database table structure. Each of these database table structures includes fields identifying the user name, password, first name, middle name, last name, email address, daytime phone number, nighttime phone number, and various fields for that individual's address. Deposits that are made to a child's account are recorded in a deposits database table structure which includes the identify of the person making a deposit, whether or not that person was a parent or a guest, the amount of the deposit, the date and time of the deposit, and a text field identifying the reason given, if any. In some embodiments, the deposits database is encrypted.

Similarly, if the parent has chosen to set up an allowance for the child (referencing back to FIG. 7B), that information is included in an allowance database table structure which includes the amount transferred to the child's account, the date and time of the transfer, and whether or not a parent or guest supplied the allowance.

5 Information regarding the child's account is also kept in one or more database table structures. For example, and as described briefly above, the child's wish list is kept in a separate database table structure which includes information relating to the items the child would like to buy or have bought for him or her. The balance in a child's account is kept in a database table structure including the amount of money left in the account, any spending limit imposed on the  
10 child by the parent or other adult who set up the account, and any transaction limit which has been set on the child's account. Similarly, the stores at which the child is allowed to shop are identified in an allowed stores database table structure which includes vendor identification fields and child identification fields. Certain embodiments may also be provided with a database table structure which records transaction history as well as order history for future reference by  
15 the child or the child's parents.

In some embodiments, potential purchasers use an article of manufacture instead of a client workstation 12' to interact with the server 14. In these embodiments, the purchaser possesses an article of manufacture that stores a computer-readable program means that represents the purchaser. The computer-readable program means that represents the purchaser  
20 can be similar to, or exactly the same as, the purchaser data structure described above. The article of manufacture may be any physical item that is capable of storing the computer-readable program means and is convenient for the purchaser to physically possess, such as a smartcard or a magnetic stripe card. In further embodiments, the computer-readable program means representing the user includes information representing monetary units available to the purchaser  
25 for purchasing items.

The computer readable program means stored on the article of manufacture can be any one of the database table structures identified above in the example.

In the embodiments described above, a single server 14 maintains and stores one or more item entry databases for each vendor at which a child may shop. In another implementation, each  
30 individual vendor maintains their own item entry database 20 and supplies information regarding

purchases to a central server which approves or denies transactions based on the purchaser data structure.

Referring now to FIG. 8, the data flow for such an embodiment will be described. A purchaser enters a vendor's website via a central server 14. The server 14 transmits HTML data (step 802) representing its website. The server may transmit HTML data representing the actual site, or the data may represent an authorized replica of the site hosted by an agent of the vendor. The website is displayed on the purchaser's computer by a browser application. The website includes icons or text representing vendor websites. Each icon or text is a hyperlink to a vendor's website or replica database/design. The purchaser clicks on a vendor's icon (step 804) and receives an HTML file from the vendor site (step 806) which may include various types of information about the vendor website such as, updates on currently running sales, an array of products for sale, or other demographic information about the site. At this point, the purchaser is able to shop at the vendor website or database in a traditional manner, that is, providing different URL addresses corresponding to pages in the vendor's website and receiving HTML pages corresponding to those URL addresses, the HTML pages identifying items which the vendor offers for sale. At some point, the purchaser desires to add an item to their shopping cart (step 810). Typically, the purchaser signifies this by clicking on a button, hyperlink, or other indicator associated with the item. Similarly, a purchaser may desire to add an item to its "wish list" (step 812). The vendor website transmits the identity of the item to the server 14 and the server, after making the appropriate entry in a database table structure, transmits a command back to the vendor site or replicated database (step 816). The command instructs the vendor site to take some action in response to the purchaser's actions. For example, the command may instruct the vendor site or database to decrement the quantity of that item available by one if the purchaser has indicated they want to make a purchase. Alternatively, the command can instruct the vendor site (or database) to add the item to that purchaser's wish list. In one embodiment, data is transmitted between the vendor site and the server 14 using the HTTP POST COMMAND. If the addition of the item to the purchaser's wish list is approved, the vendor website updates the purchaser's shopping cart (step 818) and the purchaser may continue shopping. Alternatively, the purchaser may decide to check out (step 820). In some embodiments, maintenance of purchaser wish lists and lists of items purchasers are in the process of buying is provided by a separate web site or database.

If the purchaser has one or more items in its shopping cart and the purchaser decides to check out, one or more transactions is posted to the vendor's site (step 902). The vendor site posts that transaction to server 14 which responds with a confirmation or failure to the vendor's site (step 906). Whether or not a particular transaction succeeds or fails is based on the various  
5 database table structures stored by the server. For example, a given password may be incorrect, or the purchaser may not have authorization to purchase the selected item.

Whether or not a transaction succeeds or fails a receipt is displayed to the shopper (step 908) which indicates the state of the transaction. The shopper acknowledges the receipt (step 910) and is returned to the main server 14 (step 912).

10 In this embodiment, the detailed data representing the purchaser is maintained by the main server 14 while the item entry databases are maintained by the respective vendor. This allows server 14 to function as an electronic mall, that is, allowing users to move from store to store to shop. In addition, restrictions that are placed on the purchaser are maintained which allows parents to control the spending patterns of their children and makes fraudulent use of  
15 accounts more difficult.

Having described certain embodiments of the invention, it will now become apparent to one of ordinary skill in the art that other embodiments incorporating the concepts of the invention may be used. Therefore, the invention should not be limited to certain embodiments, but rather should be limited only by the spirit and scope of the following claims.

CLAIMS

What is claimed is:

- 1 1. A method for displaying an SGML page, said SGML page facilitating selection and  
2 purchase of goods from multiple vendors by a purchaser, the method comprising the steps of:  
3 (a) maintaining a database including a plurality of item entries, at least one of the  
4 plurality of item entries representing an item for sale;  
5 (b) accessing a data structure representing a potential purchaser, the data structure  
6 including permission information; and  
7 (c) generating an SGML page for display responsive to the data structure and said at  
8 least one of the plurality of item entries in the database.
- 1 2. The method of claim 1 wherein step (a) comprises maintaining a database including a  
2 plurality of item entries, at least one of the plurality of item entries having an SKU field and  
3 representing an item for sale.
- 1 3. The method of claim 1 wherein step (a) comprises maintaining a database including a  
2 plurality of item entries, at least some of the plurality of item entries associated with a first  
3 vendor and others of the plurality of item entries associated with a second vendor.
- 1 4. The method of claim 1 wherein step (b) comprises:  
2 (b-a) maintaining a data structure representing a potential purchaser; and  
3 (b-b) accessing the data structure.
- 1 5. The method of claim 1 wherein step (b) comprises accessing a data structure representing  
2 a potential purchaser, said data structure including information identifying items which the  
3 potential purchaser does not have the authorization to purchase.
- 1 6. The method of claim 5 wherein the items which the potential purchaser does not have the  
2 authorization to purchase are identified responsive to price information associated with the items.
- 1 7. The method of claim 5 wherein the items which the potential purchaser does not have the  
2 authorization to purchase are identified responsive to vendor information associated with the  
3 items.



1 8. The method of claim 1 further comprising the step of maintaining a list associated with  
2 the user, the list including one or more item entries, each of said item entries representing an item  
3 that the associated user desires.

1 9. The method of claim 8 wherein the list includes items from multiple vendors.

1 10. An apparatus for displaying an SGML page, said SGML page facilitating selection and  
2 purchase of goods by a purchaser, the apparatus comprising:  
3 a first memory element storing a database including a plurality of item entries, at least one  
4 of the plurality of item entries representing an item for sale;  
5 a second memory element storing a data structure representing a potential purchaser, said  
6 data structure including permission information associated with the purchaser; and  
7 a page generator accessing said database stored in said first memory element and creating  
8 an SGML page for display to a potential purchaser responsive to said database and said data  
9 structure stored in said second memory element.

1 11. The apparatus of 10 wherein said page generator creates an HTML page for display.

1 12. The apparatus of claim 10 further comprising a receiver which receives a request from a  
2 potential purchaser, the request indicating that the page generator should create a page for display  
3 to the potential purchaser.

1 13. The apparatus of claim 12 wherein said page generator dynamically creates a page for  
2 display responsive to the request received from the potential purchaser.

1 14. An article of manufacture having computer-readable program means embodied thereon  
2 for displaying an SGML page, said SGML page facilitating selection and purchase of goods from  
3 multiple vendors by a purchaser, the article comprising:

4 (a) computer-readable program means for maintaining a database including a  
5 plurality of item entries, at least one of the plurality of item entries representing an item for sale;

6 (b) computer-readable program means for accessing a data structure representing a  
7 potential purchaser, the data structure including permission information; and

8 (c) computer-readable program means for generating an SGML page for display

9 responsive to the data structure and said at least one of the plurality of item entries in the  
10 database.

1 15. The article of manufacture of claim 14 further comprising computer-readable program  
2 means for maintaining a data structure representing a potential purchaser.

1 16. An article of manufacture having computer-readable program means embodied thereon  
2 for facilitating purchase of goods by a purchaser, the article comprising:  
3 computer-readable program means for representing a potential purchaser, said program  
4 means including permission information associated with the purchaser.

1 17. The article of manufacture of claim 16 further comprising computer-readable programs  
2 means representing monetary units available for spending.

1/10




FIG. 1




FIG. 2

3/10




FIG. 3

4/10

**FREE** MUSIC FOR *preview*  
BOOKING ONLINE *travel*

ADVERTISEMENT

**Parents Start Here**

402 First Name  404 Middle I  406 Last

Please supply your mailing address here:

Addr. Line 1  408  
 Addr. Line 2  410  
 City  412 State  414 Zip Code  416  
 Day Phone  418  
 Night Phone  420  
 Email  422

Please select a password

RECOMMENDATION: Do not use a child's name or an easily recognized word. Use at least 8 digits and letters. (Up to 16 characters allowed)


Password Chosen  424  
 Type again to confirm

426

FIG. 4

5/10

500



**FREE** MUSIC FOR preview  
BOOKING ONLINE *travel!*

ADVERTISEMENT

### Parent Signup Step 2 of 6

Carol, your assigned I CAN BUY I.D. is carols231  
Requested password accepted.  
— please write the ID and password down in a safe place —

---

Now, please register each of your children individually. Once a child is registered you can specify parental controls.

First Name  502

Birthdate  506

Email  510

Last Name  504

Sex ☒ Female 508

Please select a password for your child  
RECOMMENDATION: Do not use a child's name or an easily recognized word. Use at least 8 digits and letters. (Up to 16 characters are allowed) Please communicate this password and assigned user ID to your child.


Password Chosen

Type again to Confirm

520

FIG. 5

6/10



**FREE** MUSIC FOR preview  
BOOKING ONLINE travel!

### Parent Signup Step 3 of 6

Jenny's assigned I CAN BUY I.D. is jennys346

Requested password accepted.

*- please write the ID and password down in a safe place and communicate them to Jenny -*

Please select the level of parent approval required for Jenny's shopping trips.

620 ☐ Parent approval not required for a purchase.

622 ☐ Parent must approve any purchase.

624 ☒ Parent approval required for purchases over \$.

The following is a list of authorized I CAN BUY merchants. Please uncheck those you do not want Jenny to visit.

**AMERICAN EAGLE**  
EST. 1977  
**OUTLETTERS**

☒ 603
 

602

**CYBERIAN Outpost**

☒ 609
 

608

**GAP**

☒ 605
 

604

**TOYS R US**  
The Online Store

☒ 611
 

601

**CDNOW**

☒ 613
 

612

Shop in your pajamas!

Fall into the GAP online

The cool place to shop for computer stuff!

All your favorite toys now online!

The world's largest bookseller online.  
Fast delivery and deep discounts!

All your favorite CDs at great prices.

Go To Step 4

640

FIG. 6



7/10

700

702

704

706

708

710

712

714

716

718

720

722

724

726

728

730

732

734

736

738

740

742

744

746

748

750

752

754

756

758

760

762

764

766

768

770

772

774

776

778

780

782

784

786

788

790

792

794

796

798

800

802

804

806

808

810

812

814

816

818

820

822

824

826

828

830

832

834

836

838

840

842

844

846

848

850

852

854

856

858

860

862

864

866

868

870

872

874

876

878

880

882

884

886

888

890

892

894

896

898

900

902

904

906

908

910

912

914

916

918

920

922

924

926

928

930

932

934

936

938

940

942

944

946

948

950

952

954

956

958

960

962

964

966

968

970

972

974

976

978

980

982

984

986

988

990

992

994

996

998

1000

1002

1004

1006

1008

1010

1012

1014

1016

1018

1020

1022

1024

1026

1028

1030

1032

1034

1036

1038

1040

1042

1044

1046

1048

1050

1052

1054

1056

1058

1060

1062

1064

1066

1068

1070

1072

1074

1076

1078

1080

1082

1084

1086

1088

1090

1092

1094

1096

1098

1100

1102

1104

1106

1108

1110

1112

1114

1116

1118

1120

1122

1124

1126

1128

1130

1132

1134

1136

1138

1140

1142

1144

1146

1148

1150

1152

1154

1156

1158

1160

1162

1164

1166

1168

1170

1172

1174

1176

1178

1180

1182

1184

1186

1188

1190

1192

1194

1196

1198

1200

1202

1204

1206

1208

1210

1212

1214

1216

1218

1220

1222

1224

1226

1228

1230

1232

1234

1236

1238

1240

1242

1244

1246

1248

1250

1252

1254

1256

1258

1260

1262

1264

1266

1268

1270

1272

1274

1276

1278

1280

1282

1284

1286

1288

1290

1292

1294

1296

1298

1300

1302

1304

1306

1308

1310

1312

1314

1316

1318

1320

1322

1324

1326

1328

1330

1332

1334

1336

1338

1340

1342

1344

1346

1348

1350

1352

1354

1356

1358

1360

1362

1364

1366

1368

1370

1372

1374

1376

1378

1380

1382

1384

1386

1388

1390

1392

1394

1396

1398

1400

1402

1404

1406

1408

1410

1412

1414

1416

1418

1420

1422

1424

1426

1428

1430

1432

1434

1436

1438

1440

1442

1444

1446

1448

1450

1452

1454

1456

1458

1460

1462

1464

1466

1468

1470

1472

1474

1476

1478

1480

1482

1484

1486

1488

1490

1492

1494

1496

1498

1500

1502

1504

1506

1508

1510

1512

1514

1516

1518

1520

1522

1524

1526

1528

1530

1532

1534

1536

1538

1540

1542

1544

1546

1548

1550

1552

1554

1556

1558

1560

1562

1564

1566

1568

1570

1572

1574

1576

1578

1580

1582

1584

1586

1588

1590

1592

1594

1596

1598

1600

1602

1604

1606

1608

1610

1612

1614

1616

1618

1620

1622

1624

1626

1628

1630

1632

1634

1636

1638

1640

1642

1644

1646

1648

1650

1652

1654

1656

1658

1660

1662

1664

1666

1668

1670

1672

1674

1676

1678

1680

1682

1684

1686

1688

1690

1692

1694

1696

1698

1700

1702

1704

1706

1708

1710

1712

1714

1716

1718

1720

1722

1724

1726

1728

1730

8/10

**FREE** (MUSIC FOR *preview*  
BOOKING ONLINE *travel*)  
ADVERTISEMENT

**Parents Sign Up Step 5 of 6**

**AUTOMATIC SCHEDULED ALLOWANCE AUTHORIZATION**  
 Please deposit a minimum of \$25 per child  
 You can change or cancel scheduled deposits at any time using your Funds Management Screen

Name	Deposit This Amount Now	And Again Every
Jenny	\$ <input type="text" value="100.00"/>	<input checked="" type="radio"/> week on <input type="text" value="sunday"/> <input type="button" value="v"/> 782 <input checked="" type="radio"/> month on day <input type="text" value="1"/> <input type="button" value="v"/> 784 <input type="radio"/> year on <input type="text" value="08/25"/> Eric
Eric	\$ <input type="text" value="100.00"/>	<input type="radio"/> week on <input type="text" value="sunday"/> <input type="button" value="v"/> <input checked="" type="radio"/> month on day <input type="text" value="1"/> <input type="button" value="v"/> <input type="radio"/> year on <input type="text" value="08/25"/>

NOTE: Your credit card will be billed once a month on the first day of the month for all deposits to be made during that month. If you choose the weekly deposit option, your monthly bill will vary, depending on the number of weeks in the month.

**CREDIT CARD INFORMATION**

Credit Card # (no dashes):

Expiration Date (mm/yyyy):

Name which appears on card:

Address on credit card bill:

City:

State:  Zip:

By making this deposit, you authorize iCanBuy™ to enable your child to shop and spend the amounts you have authorized at the merchants you have authorized. Your credit card will be billed as "BBIG, Inc."

Thank you! there will be a 10- to 15-second pause while your transaction is being processed.

Copyright ©1998, iCanBuy.com. All rights reserved.

FIG. 7B

SUBSTITUTE SHEET (RULE 26)

9/10

iCanBuy.com™

Shopper PC

Vendor Site




FIG. 8

10/10

iCanBuy.com™

Shopper PC

Vendor Site




FIG. 9

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**